

**ZEN
BENCH**



Zbench LC90 for HPLC & UHPLC



66 – 102 cm

**ZEN
BENCH**

A Reguenga nº 22 Ribela – Coles 32950 Ourense

+34 609940676

info@zenbench.es

www.zenbench.es




Technical specifications



- Electrical table with two columns recommended for **HPLC and UHPLC**.
- Adjustable height from **66 to 102 cm**.
- Worksurface **90 x75 cm**.
- Bear heavy loads **up to 300 Kg**.
- Worksurface made in HPL Fundermax Resistance, 20 mm thick and resistant to chemical products.
- **8 rubber wheels**, 4 of them with a break.

- **3 position memory:**

1	Function Key Select and display settings (for example, user or position)
2	Down The table lowers while the key is pressed
3	UP The table goes up while the key is pressed
4	Memory keys 1 to 3 3 different positions can be recorded
A	Display The current height is shown. Diagnostic as error codes can be displayed



Accessories

- Possibility of incorporating a professional electrical strip with 6 separate schucko plugs and switch.



Compatibility with the main brands on the market

Compatibility guide for Zbench LC90							
TECHNIQUE	AGILENT	BRUKER	PERKIN	SCIEX	SHIMADZU	THERMO	WATERS
LC	1100 series (2 stack) 1200 series (2 stack)	ELUTE ONE	Flexar (2 stack)	M5 MICRO Echo MS	Nexera (3 stack) Serie LC40 (2 stack)	Vanquish with server	Acquity ARC / premier Acquity ARC MDLC system Alliance Acquity UPLC / UHPLC system 2D LC